

|   |           |
|---|-----------|
| <b>Preface</b>  | <b>xi</b> |
| <b>1. Fixation and Processing</b>   | <b>1</b>  |
| Fixation  | 1         |
| Processing  | 2         |
| What Should Be Seen in a Well-Fixed, Well-Processed Specimen Stained with Hematoxylin and Eosin | 3         |
| Problems Encountered With Fixation and Processing   | 4         |
| Fixation Delayed  | 4         |
| Fixation Incomplete   | 5         |
| Tissue Excessively Dehydrated   | 6         |
| Tissue Poorly Processed   | 6         |
| Cell Shrinkage  | 7         |
| Formalin or Mercury Pigment   | 8         |
| Nuclear Bubbling  | 8         |
| Decalcification   | 9         |
| Problems Encountered With Decalcification   | 10        |
| Excessive Decalcification   | 10        |
| Inadequate Decalcification  | 10        |
| Bone Dust   | 11        |
| Embedding   | 11        |
| Problems Encountered With Embedding   | 12        |
| Poor Section Orientation  | 12        |
| A Complete Cross-Section Is Not Obtained on All Tissue in the Block                             | 12        |
| References  | 13        |
| <b>2. Microtomy</b>   | <b>15</b> |
| Problems Encountered With Microtomy   | 16        |
| Wrinkles/Folds  | 16        |
| Tears/Fragmentation   | 17        |
| Holes   | 18        |
| Knife Lines/Scratches   | 18        |
| Section Is Too Thick  | 19        |
| Variable or Thick-and-Thin Sections   | 20        |
| Chatter/"Venetian Blind"/Washboarding   | 20        |
| Incomplete Tissue Section   | 21        |
| Floaters/Debris   | 21        |
| Contamination From Other Tissue Sources ("Floaters")  | 22        |
| Wavy Section  | 22        |
| Cracks/"Parched Earth" Appearance   | 23        |

|   |           |
|---|-----------|
| Extremem Separation of Tissue Elements  | 24        |
| Bubbles   | 24        |
| Bibliography  | 25        |
| <b>3. Frozen Sections</b>   | <b>27</b> |
| Controls  | 31        |
| What Should Be Seen in an Optimally Prepared Frozen Section   | 31        |
| Problems Encountered With the Frozen Section Technique  | 32        |
| The Section Shreds as it Comes Off the Knife  | 32        |
| The Section Bunches Up at the Knife Edge or Does Not Slide Off the Knife Edge Smoothly                                | 32        |
| One Section Is Thick and the Next Is Thin or Incomplete,<br>or There are Thick and Thin Areas Within the Same Section | 33        |
| The Section Is Incomplete; Portions of the Tissue Block Do Not Section  | 34        |
| The Block Falls Off the Chuck While Sectioning  | 34        |
| Tissue Chips Out of the Block During Block Trimming or Sectioning   | 34        |
| References  | 34        |
| <b>4. Hematoxylin and Eosin</b>   | <b>35</b> |
| Controls  | 36        |
| What Should Be Seen in an Optimal H&E Stain   | 37        |
| Problems Encountered With the H&E Stain   | 38        |
| Nuclei Not Crisp, “Smudgy” Nuclei, Nuclear Bubbling, or No Distinct Chromatin Patterns                                | 38        |
| Three Shades of Eosin Not Seen  | 39        |
| Poor Contrast   | 40        |
| Cytoplasmic Stain Is Too Dark   | 40        |
| Cytoplasmic Stain Is Too Light  | 41        |
| Nuclear Stain Is Too Dark   | 42        |
| Nuclear Stain Is Too Light  | 42        |
| Uneven Eosin or Hematoxylin Staining  | 43        |
| Mounting Artifact   | 44        |
| Red-Brown Nuclei  | 44        |
| Blue (Instead of Various Shades of Pink) Staining of Cellular Elements<br>Such as Collagen or Smooth Muscle           | 45        |
| Dark Precipitate Scattered Throughout the Section   | 45        |
| Bubbles on the Tissue Section or in Tissue Spaces, Decreasing Clarity of the Section                                  | 46        |
| Sections With an Overall Hazy Appearance, or Eosin Bleeding Throughout the Section                                    | 46        |
| Brown “Pigment” Throughout the Section, and Glossy Black Nuclei   | 47        |
| Bibliography  | 47        |
| <b>5. Gram Stain</b>  | <b>49</b> |
| Controls  | 52        |
| What Should Be Seen in a Good Gram Stain  | 52        |
| Problems Encountered With the Gram Stain  | 53        |
| No Gram-Positive Bacteria are Staining in Known Gram-Positive Control Slide<br>or in Patient’s Tissue Specimen        | 53        |
| Background Structures Retaining a Blue-Black Color  | 54        |
| Gram-Negative Bacteria Not Staining or Difficult to See Against Background  | 55        |
| References  | 56        |

|  |           |
|--|-----------|
| <b>6. Mycobacteria</b>   | <b>57</b> |
| Controls   | 59        |
| What Should Be Seen in a Good Stain for Mycobacteria   | 59        |
| Problems Encountered With Stains for Mycobacteria  | 60        |
| Incomplete Decolorization  | 60        |
| Over-Decolorization  | 60        |
| Counterstain Is Too Dark   | 61        |
| False-Positive Staining Caused by Contamination  | 62        |
| Blotchy, Nonspecific Staining With the Fite Method   | 62        |
| Nonspecific Staining With Fluorescent Methods  | 63        |
| References   | 63        |
| <b>7. Helicobacter pylori</b>  | <b>65</b> |
| The Simple Blue Stains   | 65        |
| Dye-Based Histochemical Stains   | 66        |
| True Giemsa Stains   | 67        |
| Silver Stains  | 67        |
| Combination Stains   | 68        |
| Immunohistochemical Stains   | 69        |
| Discussion   | 69        |
| Controls   | 69        |
| What Should Be Seen in a Good Stain for <i>Helicobacter</i>  | 69        |
| Problems Encountered With Stains for <i>Helicobacter pylori</i>  | 70        |
| Lack of Contrast With Simple Blue, Diff-Quik, Histochemical, and Giemsa Methods  | 70        |
| Understaining or Nonspecific Staining With Silver Impregnation Methods   | 72        |
| Nonspecific Staining in Sections Stained Using IHC   | 74        |
| References   | 74        |
| <b>8. Spirochetes</b>  | <b>77</b> |
| Controls   | 79        |
| What Should Be Seen in a Good Stain for Spirochetes  | 79        |
| Problems Encountered With Stains for Spirochetes   | 80        |
| Understained or Unstained Organisms  | 80        |
| Nonspecific Background Staining; Silver Precipitate; Undesirable Tissue Structures Stained Too Darkly; Reduced Contrast, Making Detection of Organisms Difficult | 81        |
| References   | 83        |
| <b>9. Fungi</b>  | <b>85</b> |
| Controls   | 87        |
| What Should Be Seen in a Good Stain for Fungi  | 87        |
| Problems Encountered With Silver Stains for Fungi  | 88        |
| Inadequate Oxidation; Occurrence of Nonspecific Staining in Tissue Elements Other Than Fungi   | 88        |
| Understaining of Fungal Organisms  | 89        |
| Overstaining of Fungal Organisms   | 90        |
| Random Deposition of Silver Onto the Glass Slide (“Mirroring”) or the Staining Vessel  | 90        |
| Undertoning or Overtone of Stained Organisms   | 91        |
| Problems Encountered With Periodic Acid-Schiff Stains for Fungi  | 92        |
| Background Staining and Lack of Contrast   | 92        |
| Weak Staining or No Staining of Fungal Elements in Control Sections  | 93        |
| References   | 93        |

|  |            |
|--|------------|
| <b>10. Trichrome Stains</b>  | <b>95</b>  |
| Controls   | 96         |
| What Should Be Seen in a Good Trichrome Stain                                | 96         |
| Problems Encountered With Trichrome Stains                                   | 98         |
| Pale Nuclear Staining  | 98         |
| Poor Nuclear Detail; Nuclei Too Dark   | 98         |
| Pale Staining With Cytoplasmic Dyes  | 99         |
| Muscle Unstained or Grey Rather Than Red                                     | 100        |
| Uneven or Incorrect Staining   | 101        |
| References   | 101        |
| <b>11. Reticulin</b>   | <b>103</b> |
| Application  | 103        |
| Controls   | 103        |
| What Should Be Seen in a Good Reticulin Stain                                | 104        |
| Problems Encountered With the Reticulin Stain                                | 104        |
| Nonspecific Silver Staining  | 104        |
| Tissue Sections Detaching From the Slide                                     | 105        |
| Incomplete Impregnation of Reticulin Fibers                                  | 106        |
| Nuclei Excessively Stained With Silver                                       | 107        |
| Granular, Rather Than Linear, Deposition of Silver on the Reticulin Fibers   | 107        |
| Section Is Over-Counterstained or Poor Choice of Counterstain                | 107        |
| Section Overtoned in Gold Chloride   | 108        |
| References   | 108        |
| <b>12. Elastin Stains</b>  | <b>109</b> |
| Controls   | 110        |
| What Should Be Seen in a Good Stain for Elastic Fibers                       | 111        |
| Problems Encountered With the Verhoeff Technique                             | 111        |
| Pale Staining of Elastic Fibers  | 111        |
| Background Stained With Verhoeff Hematoxylin                                 | 112        |
| Poor Counterstain or Deficient Contrast                                      | 112        |
| Problems Encountered With the Orcein Technique                               | 112        |
| Poor Staining of Elastic Fibers  | 112        |
| Problems Encountered With the Weigert Resorcin-Fuchsin Technique             | 113        |
| Elastic Fibers Not Stained Well After an Extended Period in the Dye Solution | 113        |
| Problems Encountered With the Aldehyde Fuchsin Technique                     | 114        |
| Inadequate Staining of Elastic Fibers  | 114        |
| Poor Contrast  | 115        |
| References   | 115        |
| <b>13. Basement Membrane</b>   | <b>117</b> |
| Controls   | 117        |
| What Should Be Seen in a Good Basement Membrane Stain                        | 118        |
| Problems Encountered With the Methenamine Silver Reaction                    | 118        |
| Determining the End Point of the Reaction                                    | 118        |
| Nonspecific Staining of Tissue Elements, or Precipitate on Tissue, or Both   | 119        |
| Difficulty in Keeping the Tissue Section on the Slide                        | 120        |
| Uneven Staining  | 120        |
| Sections Overtoned in Gold Chloride  | 121        |

|  |            |
|--|------------|
| Problems Encountered With the Periodic Acid–Schiff Reaction                                      | 121        |
| Reaction Not as Bright as Expected; GBMs Not Stained Adequately                                  | 121        |
| Nonspecific Background Staining  | 122        |
| Schiff Reaction Masked by Counterstain   | 122        |
| References   | 123        |
| <b>14. Mucin Stains</b>  | <b>125</b> |
| Controls   | 126        |
| What Should Be Seen in a Good Stain for Mucin  | 127        |
| Problems Encountered With the Mucicarmine Stain  | 127        |
| Weak Staining of Mucin   | 127        |
| Poor Counterstaining   | 128        |
| Problems Encountered With the Alcian Blue Stain  | 128        |
| Excessive Background Staining With Alcian Blue   | 128        |
| Nuclei Stained With Alcian Blue  | 129        |
| Weak Alcian Blue Staining in Structures Expected to be Positive                                  | 130        |
| Problems Encountered With the Periodic Acid–Schiff Stain   | 130        |
| Weak Staining  | 130        |
| Staining of Unexpected Structures or Excessive Background Staining                               | 131        |
| Schiff Reaction Masked by Nuclear Stain  | 132        |
| Problems Encountered With the Colloidal Iron Stain   | 132        |
| Marked Background Staining   | 132        |
| References   | 132        |
| <b>15. Amyloid</b>   | <b>133</b> |
| Controls   | 134        |
| What Should Be Seen in a Good Congo Red Stain  | 134        |
| Problems Encountered With the Congo Red Stain  | 135        |
| Weakly Stained Tissues   | 135        |
| Nonspecific Staining   | 135        |
| Incorrect Color of Birefringence   | 136        |
| Precipitate on Tissue  | 137        |
| References   | 137        |
| <b>16. Immunohistochemistry</b>  | <b>139</b> |
| Introduction   | 139        |
| Fixation   | 139        |
| Antibody Selection and Use   | 139        |
| Antigen Retrieval  | 139        |
| Controls   | 140        |
| What Should Be Seen in a Good Immunohistochemical Stain  | 141        |
| Problems Encountered With Immunohistochemical Stains   | 141        |
| Absence of Staining or Weak Staining of Patient Tissue, With Adequately Stained Positive Control | 141        |
| Weak Staining or Absence of Staining, With Weakly Stained Known Positive Control                 | 142        |
| No Staining of the Patient or Control Tissues  | 142        |
| Uneven Staining of Patient Tissue  | 143        |
| Diffuse Nonspecific Staining of Patient Tissue, With Adequate Positive Control                   | 143        |
| Nonspecific Staining of the Patient and Control Tissues  | 144        |
| False-Positive Staining of Nontarget Cells   | 144        |

|  |     |
|--|-----|
| Nonspecific Staining of Patient Tissue, With Overstained Positive Control<br>and Overstained Specific Target Cells in Patient Tissue | 144 |
| Counterstain Masks Delicate Antibody-Specific Staining   | 145 |
| Decreasing Intensity of Known Control Staining Over a Time Period  | 146 |
| Diffusion of Detection Product   | 146 |
| Tissue Detachment  | 146 |
| Uneven Deposition of Detection Reagent   | 147 |
| Failure of Portions of Section to Stain With Antibody or Counterstain  | 147 |

|                 |            |
|-----------------|------------|
| <b>Glossary</b> | <b>149</b> |
|-----------------|------------|

|              |            |
|--------------|------------|
| <b>Index</b> | <b>151</b> |
|--------------|------------|