

TABLE OF CONTENTS

The Gram Stain

| | |
|---|----|
| Theory of Gram Stain | 2 |
| Recommendations for Optimal Staining | 4 |
| Specimen Preparation | 7 |
| Biosafety Considerations | 8 |
| Preparation of Smears of Liquid Aspirates, Exudates, Sputum, Body Fluids, Etc | 9 |
| Preparation of Slides From Swab Specimens | 10 |
| Preparation of Slides Using Colonies From Solid Culture Media | 11 |
| Preparation of Smears From Urine Specimens | 11 |
| Preparation of Slides Using a Cytospin Apparatus | 12 |
| Preparation of Smears of Tissue Using the Touch Preparation Method | 14 |
| Preparation of Smears From Broth Cultures or Blood Culture Media | 15 |
| Specimen Types Not Suitable for Gram Stain | 16 |

Microbial Morphology

| | |
|--|----|
| Gram-Positive Cocci (occurring singly and/or in pairs) | 19 |
| Gram-Positive Cocci (pairs and chains) | 20 |
| Gram-Positive Cocci Clusters (tetrads and large clusters) | 21 |
| Gram-Negative Diplococci (paired cocci with flat adjacent edges) | 22 |
| Gram-Negative Coccobacilli (small thin bacilli and cocci) | 23 |
| Gram-Negative Bacilli | 24 |
| Gram-Positive Bacilli (diphtheroid shaped) | 26 |
| Gram-Positive Bacilli | 27 |
| Yeasts | 30 |
| Filamentous Fungi | 32 |

Quantitation of Microorganisms

| | |
|---|----|
| Quantitation of Microorganisms in Gram-Stained Smears | 35 |
|---|----|

Indicators of Pathology

| | |
|-------------------------------|----|
| Indicators of Pathology | 38 |
|-------------------------------|----|

Gram-Positive Organisms

| | |
|---|----|
| <i>Staphylococcus aureus</i> (blood culture) | 49 |
| <i>Enterococcus faecium</i> (blood culture) | 50 |
| <i>Clostridium perfringens</i> (body fluid)..... | 51 |
| <i>Streptococcus pyogenes</i> (group A strep [GAS]; body fluid) | 52 |
| <i>Listeria monocytogenes</i> (CSF)..... | 53 |
| <i>Streptococcus pneumoniae</i> (pneumococci; CSF) | 54 |
| <i>Staphylococcus aureus</i> (CSF) | 55 |
| <i>Streptococcus gallolyticus</i> subspecies <i>pasteurianus</i> (CSF)..... | 56 |
| <i>Streptococcus agalactiae</i> (group B strep [GBS]; genital) | 57 |
| <i>Streptococcus pneumoniae</i> (pneumococci; respiratory) | 58 |
| <i>Clostridium septicum</i> (tissue) | 59 |
| <i>Clostridium tetani</i> (culture plate) | 60 |
| <i>Erysipelothrix rhusiopathiae</i> (tissue) | 61 |
| <i>Lactobacillus</i> species (urine) | 62 |
| <i>Corynebacterium</i> species (urine)..... | 63 |

Gram-Negative Organisms

| | |
|---|----|
| <i>Acinetobacter baumannii</i> (blood culture) | 67 |
| <i>Brucella</i> species (blood culture) | 68 |
| <i>Capnocytophaga canimorsus</i> (blood culture)..... | 69 |
| <i>Haemophilus influenza</i> (blood culture) | 70 |
| <i>Salmonella</i> species (blood culture)..... | 71 |

| | |
|--|----|
| <i>Stenotrophomonas maltophilia</i> (body fluid) | 72 |
| <i>Enterobacter aerogenes</i> (CSF) | 73 |
| <i>Neisseria meningitides</i> (CSF) | 74 |
| <i>Neisseria gonorrhoeae</i> (genital) | 75 |
| <i>Moraxella catarrhalis</i> (respiratory) | 76 |
| <i>Serratia marcescens</i> (respiratory) | 77 |
| <i>Pseudomonas aeruginosa</i> (respiratory) | 78 |
| <i>Pseudomonas aeruginosa</i> (tissue) | 79 |
| <i>Fusobacterium nucleatum</i> (tissue) | 80 |
| <i>Escherichia coli</i> (urine) | 81 |

Other Organisms

| | |
|--|----|
| <i>Candida tropicalis</i> (bile duct drainage) | 85 |
| <i>Leptospira</i> species (blood culture) | 86 |
| <i>Nocardia</i> species (blood culture) | 87 |
| <i>Campylobacter jejuni</i> (stool; culture plate) | 88 |
| <i>Mycobacterium abscessus</i> complex (tissue) | 89 |
| Bacterial vaginosis (genital) | 90 |
| <i>Aspergillus fumigatus</i> complex (respiratory) | 92 |
| Acronyms List | 93 |
| Index | 94 |